




# **Rooftop Anchor Posts**





# STANDARD OPTIONS, SHORT **LEAD TIMES**

Ensure the safety for your maintenance personnel with Kee Post®, the premier rooftop tieback anchor manufactured in the USA.

Kee Post offers a straightforward solution for securing workers to the building's structure, enhancing safety during maintenance activities. Its modular design and flexibility cater to a broad spectrum of applications, from supporting suspended platforms to providing direct fall protection and integrating with horizontal lifelines.

# **EXPECT THE BEST**



## Compliant

Kee Post meets and exceeds CSA, OSHA. Cal-OSHA and ANSI standards.



#### Reliable

Reliable construction - High quality American welds, galvanized to ASTM A123 and manufactured to ISO 9000 factory control



## **Options**

Kee Post is offered in two heights and a wide variety of methods of attachment and mounting to accommodate different applications and roof buildups.



### **Adjustable**

Adjust when you need it - A wide range of connection methodologies through a standard plate.



### Versatile

All standard surfaces - Steel, concrete, timber, whatever the roof type, our anchors will suit.



# **Engineered performance**

No guessing or over-building - Our components are tested and proven to ensure performance in a wide range of applications.

# A VARIETY OF APPLICATIONS



## **Tieback Anchor**

These anchors provide a secure attachment point for window washing and façade maintenance equipment.



# **Single Point Anchor**

Using the tapped attachment option a swivel allows for tie off with the use of a lanyard or retractable lifeline.



#### **Lifeline Anchor**

Pair the tapped Kee Post® with Kee Line® horizontal lifeline to provide continuous safety along a workpath.

# **ANCHOR POST OPTIONS**

#### 1. COMPLIANCE





California OSHA

OSHA/ANSI/CSA

2. HEIGHT





3. TOP

UBG/UBS\*










**Bolted** 









Cast-in

**BeamClamp** 

\* UBG = U Bar Galvanized UBS = U Bar Stainless

# **COMPLIANCE ASSURED**

**Wrap Around** 

Kee Safety's dedication to superior safety and reliability is embodied in Kee Post, thanks to our meticulous design and testing regimen. Our in-house team of structural engineers leverages cutting-edge techniques within our advanced testing facility to ensure Kee Post meets and exceeds CSA, OSHA, and ANSI standards.

- · CSA Z259.15
- · OSHA 1926.502 / 1910.27

**Anchor Configuration Builder** 

anchor post using the SKU coding system.

The diagram below shows you how to build and order your

In the example above a Cal/OSHA 24" Galvanized U-bar Wrap

Around Base would dictate a part number: CO24UBGWAR

- · ANSI Z359.18
- · Cal-OSHA Title 8 3291 (for Cal-OSHA Range)



### Protects the environment and your bottom line

The incorporation of polyurethane insulation within each Kee Post upright offers several significant benefits:



**Enhances Building Efficiency** - The insulation provided by Kee Post acts as an effective barrier against heat transfer, minimizing heat loss to maintain a stable interior temperature. This improvement in thermal regulation contributes significantly to the building's overall efficiency and energy savings.



**Minimized Environmental Impact** - Kee Post is engineered not just for your safety, but with the environment in mind. Its optimized design and efficient supply chain ensure a smaller carbon footprint than many of the other rooftop tieback anchors in the market.



## Head Office Ontario

40 North Rivermede Road, Units 6 - 7 Concord, Ontario L4K 2H3

## **Regional Office**

Alberta Office & Training Centre

Unit 107 – 7155, 57 Street SE Calgary - Alberta T2C 5B1

**Quebec Office** 

118 - 6185 boul. Taschereau local 180 Brossard, Québec J4Z 0E4

**Tel:** (905) 669 1494 **Toll Free:** (877) 505 5003 **Web:** www.keesafety.ca

KEE POST is a registered trademarks of Kee Safety Limited. Whilst every effort has been made to ensure the accuracy of the information contained in this brochure Kee Safety Group Ltd and/or its subsidiaries cannot be held responsible for any errors or omissions. Kee Safety Group Ltd and/or its subsidiaries reserve the right to alter or withdraw products without prior notice. Kee Safety Group Ltd and/or its subsidiaries accepts no responsibility for any loss or damage arising from improper use of their products.

©2024 Kee Safety Limited Ltd. All Rights Reserved.